

Shelving Solutions





Z-Line









Boltless rivet shelving. Easy assembly. Access all four sides. Most versatile option.

Die Rack



Heavy duty boltless rivet with steel shelving. Very high load capacity.

Bulk Storage





Beam and upright system. Highest capacity. Widest span. Welded uprights. Boltless.

Q-Line





Industrial clip shelving. Smooth steel shelf. Open and closed styles. Most economical option.



Designed for quick installation and reconfiguration.

Versatile, low-cost storage solution. Highly customizable.



Boltless shelving with steel shelves. Multipurpose shelving. Great for office and warehouse use.



Durable packaged shelving. Economical storage option.

Stur-D-Stor^(TM)



Complete unit ships in one box. Vertical or horizontal configuration. Quick assembly.





Clean and professional appearance. Snap-together assembly. Wood grain laminate shelves. 3



Z-Line: Boltless Rivet Shelving





Tapered keyhole slots and snap-in rivet design makes installation easy.

2 Unobstructed Access

No side or back braces allows access to stored items from all sides.

3 Structural Integrity

Shelf supports incorporate double rivet connection to intermediate "T" posts making a rigid shelving framework.

4 Flexible Design

Shelves adjust in 1 1/2" increments.

5 Locater Keyhole Slot

Locater slot makes positioning shelves easy.

6 Great for Tall Ceilings

Upright posts available in heights of up to 16'.

7 Added Reinforcement

Center supports reinforce deep shelves.

8 Variety of Shelf Options

Industrial grade 5/8" thick particleboard, solid steel or 2" x 4" grid-pattern wire decking.

9 Durable Finish

Painted with a tough, long lasting epoxy finish.





Low Profile Capacity: Up to 800 lbs. per shelf, evenly distributed



Medium Profile Capacity: Up to 1,000 lbs. per shelf, evenly distributed




Heavy Duty Capacity: Up to 2,250 lbs. per shelf, evenly distributed



Extra Heavy Duty Capacity: Up to 2,500 lbs. per shelf, evenly distributed




Support Options




Light Duty Supports

Specially designed 1 1/8" high shelf supports provide greater openings, allowing for extra vertical space.




Heavy Duty Supports

2 ³/4" high steel beam provides a heavy-duty load capacity.



Medium Duty Supports

2 1/4" shelf supports are engineered to allow for decking to be seated on shelf supports, providing extra storage space.




Extra Heavy Duty Supports

3 1/4" high steel channel beam provides maximum strength for widths of up to 96".



Particleboard

Industrial grade 5/8" particleboard decking provides a sturdy work surface that is both strong and economical.



Decking Choices

Wire

Select wire decking for better visibility of items. Meets Factory Mutual fire codes.



Solid Steel






Perforated Steel

Ideal for applications with excessive humidity and higher visability.






Post Options



Select SUR posts for heavy weight applications.



Select EUR for light or medium weight applications.

Accessories



Select intermediate ZTP posts when connecting shelving units.



Foot Plates are used to secure shelving unit(s) to the floor.



Caster Mounts available as swivel with brakes or fixed casters. (Available on select sizes)



End Caps/Feet offer protection from sharp edges. Choose from soft pliable vinyl caps or rigid nylon caps.



Hang Rods allow for storage of clothing or other items.

Additional Shelving Configurations



Sloped-Style





Tire Rack

Tool & Die Rack

1 Heavy Load Capacities

Shelves offer load capacities of up to 4,000 lbs. per shelf and 13,000 lbs. per shelving unit.

2 Superior Strength



Unique combination of shelf supports with cross beam supports creates a super-reinforced unit.

3 Intelligent Design

Engineered to prevent deformities, even under the heaviest loads.

4 Highly Configurable

Extra shelves and heights available, providing a customizable heavy-duty shelving option.

5 Heavy Gauge Steel

16-gauge steel shelves with a 14-gauge support framework make this unit perfect for heavy materials.

6 Braceless Construction

Easy access to stored materials from all sides.

7 Smooth Steel Surface

Makes placing and manuevering items on the steel shelf easy.

8 Wide Range of Shelf Sizes

Sizes from 36"w x 18"d to 96"w x 36"d.

9 Durable Finish

Painted with a tough, long lasting epoxy finish.









Q-Line: Industrial Clip Shelving

1 Strong Shelves

Shelf corners are fully lapped and welded for extra strength, allowing for support of up to 1,000 lbs per shelf, evenly distributed.

2 Easily Adjustable

Shelves can be adjusted quickly and easily in 1" increments to make maximum use of vertical space.

3 Three Post Options

Offset Angle for stand-alone units. Standard Beaded for long runs of shelving. Heavy Beaded for long runs of shelving with heavier loads.

4 Shelf Clips

13-Gauge compression clips make adding shelves simple.

5 Locater Slot

Specially designed square locater slots allow for easy adjustability.

6 Easily Expand a Row of Shelving

Shared posts simplify connecting shelving units.

Open & Closed Style





Open Style Easy access to items

Closed Style Ideal for storing small or loose items

8 Durable Finish

Painted with a tough, long lasting epoxy finish.





Post Options



Offset Angle Posts are used for stand-alone units or as rear posts in conjunction with beaded posts in front.



Standard Beaded Posts are used as a common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.



Heavy Beaded Posts are used for heavier load situations as common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.

Accessories/Options



Perforated Shelves helps to meet fire codes by allowing sprinkler water to reach all levels.



Shelf Boxes feature welded steel construction and a selection of six box sizes.



Sliding Dividers can be placed anywhere along shelves for maximum versatility. Includes built-in label holder.




End Sway Braces provide rigidity by keeping the shelving unit perfectly square even when heavily loaded.



Label Holders provide a way to locate and identify stored items.



Back Sway Braces maintain the unit's vertical alignment to assure that even the heaviest loads can be safely stored.



Shelf Dividers are available in 15 sizes and create custom sized bins.



Splice Plates are used to splice two uprights together.



Bin Fronts keep parts from spilling off shelves.





Bulk Storage Rack

1 Unique Tapered Finger Design

Superior beams lock into the uprights on 2" centers and hold up to 4,150 lbs., when weight is evenly distributed.

2 Reinforced Uprights

Uprights are pre-welded for strength and will support up to 17,000 lbs.

3 Z-Profile & Channel Beams

Specially formed beams add strength at the front and rear of shelf edges.

4 Three Decking Options

Choice of corrugated steel, particleboard or flat wire decking.

5 Easy Assembly

Bulk storage units go together fast and easy. Beams simply slide into place.

6 Various Sizes Available

Construct units from four widths, five depths and seven heights.

7 Durable Finish

Painted with a tough, long lasting epoxy finish.



Intended for hand loading only.



L&T Boltless Shelving



1 Unique Construction

Intuitive design allows for endless expansion. Add sections to an existing installation by using "T" uprights as common center posts and finish with "L" uprights.

2 Easy, Snap-Together Assembly

Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.

3 Double Entry Access

Grants access to items from the front or back of the shelving unit.

4 Multiple Shelf Options

Offerings include thin line, heavy duty, particleboard, library with dividers.

5 Adjustable Shelves

Shelves are adjustable in 1 1/2" increments to create custom openings.

6 Customize Your Shelving

Complete customization with options including dividers, back/end stops and bin partitions.

7 Variety of Finished Uprights

Choice of open uprights, closed uprights, or library double wall uprights.

8 Durable Finish

Painted with a tough, long lasting epoxy finish.

San	Champagne	Light Grey	Medium	Black	Oyster
(SNE	Putty (CPY)	(LGY)	Grey (MGY)	(BLK)	(OYS)





L&T Accessories



Reference Shelf provides a convenient pull-out workspace.




Shelf Reinforcements spans from front to back and adds support to deeper shelves.



Front Base prevents items from rolling under shelving and provides a finished look.



Unslotted Center Dividers keep materials separated on double entry shelves.



Backs provide shelving with a finished look. Heavy gauge seismic backs also available.



Aisle Ties add stability to units or ranges by connecting them across the aisle.



Wall Ties secure shelving units to the wall for added stability.



Periodical Shelves are used for displaying media.



Seismic Full Height Center Stops are used to help reinforce shelving units in seismic zones.



Center Stops/Back Stops support shelf dividers and keep items where they belong with back stops (single entry) and center stops (double entry).

Capstone Shelving

1 Pre-Configured Units

Individual units are available in 76" and 88" heights, 36", 42" and 48" widths while offering 18" and 24" depths.

2 Clean Line Style

Double wall post construction conceals the keyhole slots for a clean, attractive appearance.

3 Ships In One Box For Easy Assembly

Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.

4 Super Strong Framework

Steel shoulder rivets, combined with steel uprights and shelf supports, offer up to 650 lb. shelf capacity.

5 Adjustable Shelves

Shelves are adjustable in 1 1/2" increments to create custom openings.

6 Protects Flooring

Carpet friendly molded Polyethylene feet help prevent damage to flooring.

7 Durable Finish

Painted with a tough, long lasting epoxy finish.















ESP Shelving

1 Lightweight, Economical, and Durable

Shelving offers multipurpose use at a reasonable price.

2 Ships In One Box

Complete shelving unit ships in one box for simple shipping and assembly.

3 Flanged Shelves

Multiple-bend flanges with lapped and welded corners support up to 250 lbs. per shelf, with weight evenly distributed.

4 Convenient Adjustablity

Compression clips make adding and adjusting shelves a simple and convenient process.

5 Variety of Depths

Available in three depths to suit any application.

6 Choice of Open or Closed Unit

Open style units provide convenient access and complete visibility of contents, while closed style units keep contents from falling off of shelves.





Closed Style Ideal for storing small or loose items

Open Style Easy access to items

Durable Finish

Painted with a tough, long lasting epoxy finish.







Regal Shelving

Double Wall Posts

Double wall post construction conceals the keyhole slots for a clean, attractive appearance.

2 Easy, Tool-Free Assembly

Unique design offers time saving snap-together assembly without tools. A rubber mallet is required to secure supports.

3 Pre-Configured Units

Individual units are 76" high x 36" wide x 18" deep.

4 Adjustable Shelves

Shelves are adjustable in 1 1/2" increments to create custom openings for books, binders, supplies and more.

5 Obstacle-Free Access

Framework requires no nuts, bolts or sway braces offering obstacle-free access from all sides.

6 Protect Your Flooring

Carpet friendly molded Polyethylene feet protect your flooring.

7 Laminate Shelves

Wood grained, laminate board provides a clean and professional appearance.

8 Durable, Attractive Finish

Powder-coated durable finish .





Stur-D-Stor^(TM) Shelving



2 Horizontal or Vertical Configuration

Can be configured in horizontal or vertical format.



3 Industrial Grade Particleboard Decking

Solid shelves prevent items from slipping or snagging and holds up to 1,000 lbs. per shelf, with weight evenly distributed.

4 Assembles In Minutes

Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.

5 Protective Post Caps/Feet

Eight nylon caps included for protection from sharp edges or to keep from damaging floor and carpet.


6 Durable Finish

Painted with a tough, long lasting epoxy finish.





0			a.				6		9		0	
	ð.			9				1		8		0
(1)			63		0				0		Ġ.	
				.0		<u>di</u>						.0
ų.					2		.9				9	
						ę		8				4
							<i>6</i> 7		6		19	
								0				
					A.,		.0					
								3		.0.		
					æ.		2		9		19	
						9		.9		9		





Customer Service: (866) 446-8686 • www.tennsco.com • customerservice@tennsco.com